

Upper foot end table shield

311/TC/004

Protects the user when working at the foot end of table

This upper body shield protects against scatter radiation and helps protect against possible blood splashes during some interventional procedures. It is designed to attach onto both 25 mm high tableside accessory rails (7.7 mm – 10 mm thick). The lead acrylic window (0.5 mm Pb equivalent) is sized dependent on the table width and has a flexible curtain (0.5 mm Pb equivalent) suspended beneath it.

Features

- > Designed for use across the table towards the foot end.
- > Fits onto both 25 mm high tableside accessory rails (7.7 - 10 mm thick).
- > Lead acrylic window, approximate size: height 60 cm x width 80 cm (dependent upon make of table).
- > Flexible curtain suspended below acrylic, height 20 cm.
- > Approximate overall height: 90 cm (dependent upon make of table).
- > Lead equivalent protection throughout is 0.5 mm

Dimensions & weight

All upper foot end table shields are made to your bespoke measurements (please complete the included measurement sheet)

Approximate weight: 25 kg



Measurement sheet

311/TC/004 Upper foot end table shield

Please measure precisely and specify in millimetres: -

- 1 Height of tableside accessory rails 1: _____ mm
- 2 Thickness of tableside accessory rails 2: _____ mm
- 3 Distance measured across the table, between the outer surfaces of each tableside rail 3: _____ mm
- 4 Vertical distance from the top edge of the tableside rail to the top surface of the mattress 4: _____ mm

Make of table _____

Please forward measurements to kenex@kenex.co.uk

